SUCO

Application No. Applicant(s) 10/804,313 KANG, SUNG SOON Notice of Allowability Examiner Art Unit Anthony J. Green 1755 -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. 1. This communication is responsive to the amendment submitted on 11/26/04 and Examiner's Amendment 12/10/04. 2. The allowed claim(s) is/are 1-8. 3. The drawings filed on ____ are accepted by the Examiner. 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) 🛛 All b) ☐ Some* c) ☐ None of the: 1. Certified copies of the priority documents have been received. 2. ☐ Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: _ Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. 6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) Including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date _ (b) I including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. Attachment(s) 1. Notice of References Cited (PTO-892) 5. Notice of Informal Patent Application (PTO-152) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 6. Interview Summary (PTO-413), Paper No./Mail Date 3. Information Disclosure Statements (PTO-1449 or PTO/SB/08), 7. X Examiner's Amendment/Comment Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit 8. X Examiner's Statement of Reacons for Allowance of Biological Material 9. 🗌 Other Inthony J. Gree Primary Examiner

U.S. Paterit and Trademark Office PTOL-37 (Rev. 1-04) Art Unit: 1755

Application/Control Number: 10/804,313

Art Unit: 1755

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Evan Witt on 10 December 2004.

The application has been amended as follows:

In claim 1, line 7, the phrase "the compressive" has been changed to the phrase:

- -- a compressive -- and the phrase "the permeability" has been changed to the phrase:
- -- a permeability --.

In claim 5, line 2, the phase "wherein a liquid" has been deleted and replaced with the phrase -- further comprising a --.

In claim 5, line 3, the term "is" has been deleted.

In claim 5, line 4, the phrase "layer to prevent sliding on the surface" has been deleted.

In claim 6, line 2, the phase "wherein a liquid" has been deleted and replaced with the phrase -- further comprising a --.

In claim 6, line 3, the term "is" has been deleted.

In claim 6, line 4, the phrase "layer to prevent sliding on the surface" has been deleted.

In claim 7, line 2, the term "and" has been changed to -- or --.

Art Unit: 1755

In claim 8, line 2, the term "and" has been changed to -- or --.

REASONS FOR ALLOWANCE

2. The following is an examiner's statement of reasons for allowance: The prior art of record, which is the most pertinent art found, fails to teach and/or fairly suggest the instant invention. The change from "kg/m²" to "kg/m³" and from "g/m²" to "g/m³" in the specification and the claims made by applicant in the response is not new matter as it appears to have been a typographical error as the priority document shows the use of the units of "kg/m³" and "g/m³".

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Anthony J. Green whose telephone number is 571-272-1367. The examiner can normally be reached on Monday-Thursday 6:30-4:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mark L. Bell can be reached on 571-272-1362. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Primary Examiner
Art Unit 1755

ajg December 10, 2004